



RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:

10/774,147A

Source:

ITWB

Date Processed by STIC:

5/19/04

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221

Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER
VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND
TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses.

1. EFS-Bio (<<http://www.uspto.gov/efb/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to (EFFECTIVE 12/01/03):
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03



IFWO

RAW SEQUENCE LISTING

DATE: 05/19/2004

PATENT APPLICATION: US/10/774,147A

TIME: 08:15:39

Input Set : A:\10050-03USAUSA.ST25.txt

Output Set: N:\CRF4\05192004\J774147A.raw

3 <110> APPLICANT: POSTECH Foundation
 4 POSCO
 5 RYU, Sung-Ho
 6 BAE, Yoe-Sik
 7 PARK, Eun-Young
 8 SUH, Pann-Ghill
 10 <120> TITLE OF INVENTION: LEUKOCYTE STIMULATING PEPTIDES
 12 <130> FILE REFERENCE: 10050-03USA
 14 <140> CURRENT APPLICATION NUMBER: US 10/774,147A
 15 <141> CURRENT FILING DATE: 2004-02-06
 17 <150> PRIOR APPLICATION NUMBER: US 60/445,621
 18 <151> PRIOR FILING DATE: 2003-02-07
 20 <160> NUMBER OF SEQ ID NOS: 36
 22 <170> SOFTWARE: PatentIn version 3.3
 24 <210> SEQ ID NO: 1
 25 <211> LENGTH: 6
 26 <212> TYPE: PRT
 27 <213> ORGANISM: Artificial sequence
 29 <220> FEATURE:
 30 <223> OTHER INFORMATION: Peptide
 33 <220> FEATURE:
 34 <221> NAME/KEY: MISC_FEATURE
 35 <222> LOCATION: (1)..(1)
 36 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg
 38 <220> FEATURE:
 39 <221> NAME/KEY: MISC_FEATURE
 40 <222> LOCATION: (3)..(3)
 41 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr
 43 <220> FEATURE:
 44 <221> NAME/KEY: MISC_FEATURE
 45 <222> LOCATION: (4)..(4)
 46 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr
 48 <220> FEATURE:
 49 <221> NAME/KEY: MISC_FEATURE
 50 <222> LOCATION: (5)..(5)
 51 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr
 53 <400> SEQUENCE: 1
 W--> 55 Xaa Lys Xaa Xaa Xaa Met
 56 1 5
 59 <210> SEQ ID NO: 2
 60 <211> LENGTH: 6
 61 <212> TYPE: PRT
 62 <213> ORGANISM: Artificial sequence

Does Not Comply
Corrected Diskette Needed

(pgs. 1-5)

Invalid Response

RAW SEQUENCE LISTING

DATE: 05/19/2004

PATENT APPLICATION: US/10/774,147A

TIME: 08:15:39

Input Set : A:\10050-03USAUSA.ST25.txt

Output Set: N:\CRF4\05192004\J774147A.raw

64 <220> FEATURE:
 65 <223> OTHER INFORMATION: Peptide - Invalid Response
 68 <220> FEATURE:
 69 <221> NAME/KEY: MISC_FEATURE
 70 <222> LOCATION: (4)..(4)
 71 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
 73 <220> FEATURE:
 74 <221> NAME/KEY: MISC_FEATURE
 75 <222> LOCATION: (5)..(5)
 76 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr.
 78 <220> FEATURE:
 79 <221> NAME/KEY: MISC_FEATURE
 80 <222> LOCATION: (6)..(6)
 81 <223> OTHER INFORMATION: Xaa can be Met.
 83 <400> SEQUENCE: 2
 W--> 85 Lys Lys His Xaa Xaa Xaa
 86 1 5
 89 <210> SEQ ID NO: 3
 90 <211> LENGTH: 6
 91 <212> TYPE: PRT
 92 <213> ORGANISM: Artificial sequence
 94 <220> FEATURE:
 95 <223> OTHER INFORMATION: Peptide - Same error
 98 <220> FEATURE:
 99 <221> NAME/KEY: MISC_FEATURE
 100 <222> LOCATION: (4)..(4)
 101 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
 103 <220> FEATURE:
 104 <221> NAME/KEY: MISC_FEATURE
 105 <222> LOCATION: (5)..(5)
 106 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr.
 108 <220> FEATURE:
 109 <221> NAME/KEY: MISC_FEATURE
 110 <222> LOCATION: (6)..(6)
 111 <223> OTHER INFORMATION: Xaa can be Met.
 113 <400> SEQUENCE: 3
 W--> 115 Lys Lys Tyr Xaa Xaa Xaa
 116 1 5
 119 <210> SEQ ID NO: 4
 120 <211> LENGTH: 6
 121 <212> TYPE: PRT
 122 <213> ORGANISM: Artificial sequence
 124 <220> FEATURE:
 125 <223> OTHER INFORMATION: Peptide - Same error
 128 <220> FEATURE:
 129 <221> NAME/KEY: MISC_FEATURE
 130 <222> LOCATION: (4)..(4)
 131 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
 133 <220> FEATURE:

RAW SEQUENCE LISTING

DATE: 05/19/2004

PATENT APPLICATION: US/10/774,147A

TIME: 08:15:39

Input Set : A:\10050-03USAUSA.ST25.txt

Output Set: N:\CRF4\05192004\J774147A.raw

134 <221> NAME/KEY: MISC_FEATURE
135 <222> LOCATION: (5)..(5)
136 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr.
138 <220> FEATURE:
139 <221> NAME/KEY: MISC_FEATURE
140 <222> LOCATION: (6)..(6)
141 <223> OTHER INFORMATION: Xaa can be Met.
143 <400> SEQUENCE: 4
W--> 145 Arg Lys Tyr Xaa Xaa Xaa
146 1 5
149 <210> SEQ ID NO: 5
150 <211> LENGTH: 6
151 <212> TYPE: PRT
152 <213> ORGANISM: Artificial sequence
154 <220> FEATURE:
155 <223> OTHER INFORMATION: Peptide
158 <220> FEATURE:
159 <221> NAME/KEY: MISC_FEATURE
160 <222> LOCATION: (4)..(4)
161 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
163 <220> FEATURE:
164 <221> NAME/KEY: MISC_FEATURE
165 <222> LOCATION: (5)..(5)
166 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr.
168 <220> FEATURE:
169 <221> NAME/KEY: MISC_FEATURE
170 <222> LOCATION: (6)..(6)
171 <223> OTHER INFORMATION: Xaa can be Met.
173 <400> SEQUENCE: 5
W--> 175 Met Lys Tyr Xaa Xaa Xaa
176 1 5
179 <210> SEQ ID NO: 6
180 <211> LENGTH: 6
181 <212> TYPE: PRT
182 <213> ORGANISM: Artificial sequence
184 <220> FEATURE:
185 <223> OTHER INFORMATION: Peptide
188 <220> FEATURE:
189 <221> NAME/KEY: MISC_FEATURE
190 <222> LOCATION: (1)..(1)
191 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
193 <220> FEATURE:
194 <221> NAME/KEY: MISC_FEATURE
195 <222> LOCATION: (2)..(2)
196 <223> OTHER INFORMATION: Xaa can be Lys.
198 <220> FEATURE:
199 <221> NAME/KEY: MISC_FEATURE
200 <222> LOCATION: (3)..(3)
201 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.

same errors

RAW SEQUENCE LISTING

DATE: 05/19/2004

PATENT APPLICATION: US/10/774,147A

TIME: 08:15:39

Input Set : A:\10050-03USAUSA.ST25.txt

Output Set: N:\CRF4\05192004\J774147A.raw

Same errors
✓

203 <400> SEQUENCE: 6
W--> 205 Xaa Xaa Xaa His Lys Met
206 1 5
209 <210> SEQ ID NO: 7
210 <211> LENGTH: 6
211 <212> TYPE: PRT
212 <213> ORGANISM: Artificial sequence
214 <220> FEATURE:
215 <223> OTHER INFORMATION: Peptide
218 <220> FEATURE:
219 <221> NAME/KEY: MISC_FEATURE
220 <222> LOCATION: (1)..(1)
221 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
223 <220> FEATURE:
224 <221> NAME/KEY: MISC_FEATURE
225 <222> LOCATION: (2)..(2)
226 <223> OTHER INFORMATION: Xaa can be Lys.
228 <220> FEATURE:
229 <221> NAME/KEY: MISC_FEATURE
230 <222> LOCATION: (3)..(3)
231 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
233 <400> SEQUENCE: 7
W--> 235 Xaa Xaa Xaa His Val Met
236 1 5
239 <210> SEQ ID NO: 8
240 <211> LENGTH: 6
241 <212> TYPE: PRT
242 <213> ORGANISM: Artificial sequence
244 <220> FEATURE:
245 <223> OTHER INFORMATION: Peptide
248 <220> FEATURE:
249 <221> NAME/KEY: MISC_FEATURE
250 <222> LOCATION: (1)..(1)
251 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
253 <220> FEATURE:
254 <221> NAME/KEY: MISC_FEATURE
255 <222> LOCATION: (2)..(2)
256 <223> OTHER INFORMATION: Xaa can be Lys.
258 <220> FEATURE:
259 <221> NAME/KEY: MISC_FEATURE
260 <222> LOCATION: (3)..(3)
261 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
263 <400> SEQUENCE: 8
W--> 265 Xaa Xaa Xaa Tyr Lys Met
266 1 5
269 <210> SEQ ID NO: 9
270 <211> LENGTH: 6
271 <212> TYPE: PRT
272 <213> ORGANISM: Artificial sequence

RAW SEQUENCE LISTING

DATE: 05/19/2004

PATENT APPLICATION: US/10/774,147A

TIME: 08:15:39

Input Set : A:\10050-03USAUSA.ST25.txt

Output Set: N:\CRF4\05192004\J774147A.raw

Some errors

274 <220> FEATURE:
275 <223> OTHER INFORMATION: Peptide
278 <220> FEATURE:
279 <221> NAME/KEY: MISC_FEATURE
280 <222> LOCATION: (1)..(1)
281 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
283 <220> FEATURE:
284 <221> NAME/KEY: MISC_FEATURE
285 <222> LOCATION: (2)..(2)
286 <223> OTHER INFORMATION: Xaa can be Lys.
288 <220> FEATURE:
289 <221> NAME/KEY: MISC_FEATURE
290 <222> LOCATION: (3)..(3)
291 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
293 <400> SEQUENCE: 9
W--> 295 Xaa Xaa Xaa Tyr Pro Met
296 1 5
299 <210> SEQ ID NO: 10
300 <211> LENGTH: 6
301 <212> TYPE: PRT
302 <213> ORGANISM: Artificial sequence
304 <220> FEATURE:
305 <223> OTHER INFORMATION: Peptide
308 <220> FEATURE:
309 <221> NAME/KEY: MISC_FEATURE
310 <222> LOCATION: (1)..(1)
311 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
313 <220> FEATURE:
314 <221> NAME/KEY: MISC_FEATURE
315 <222> LOCATION: (2)..(2)
316 <223> OTHER INFORMATION: Xaa can be Lys.
318 <220> FEATURE:
319 <221> NAME/KEY: MISC_FEATURE
320 <222> LOCATION: (3)..(3)
321 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
323 <400> SEQUENCE: 10
W--> 325 Xaa Xaa Xaa Tyr Val Met
326 1 5
329 <210> SEQ ID NO: 11
330 <211> LENGTH: 6
331 <212> TYPE: PRT
332 <213> ORGANISM: Artificial sequence
334 <220> FEATURE:
335 <223> OTHER INFORMATION: Peptide
338 <220> FEATURE:
339 <221> NAME/KEY: MISC_FEATURE
340 <222> LOCATION: (1)..(1)
341 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
343 <220> FEATURE:

The type of errors shown exist throughout
the Sequence Listing. Please check subsequent
sequences for similar errors.

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/774,147A

DATE: 05/19/2004
TIME: 08:15:40

Input Set : A:\10050-03USAUSA.ST25.txt
Output Set: N:\CRF4\05192004\J774147A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,3,4,5 ✓
Seq#:2; Xaa Pos. 4,5,6 ✓
Seq#:3; Xaa Pos. 4,5,6 ✓
Seq#:4; Xaa Pos. 4,5,6 ✓
Seq#:5; Xaa Pos. 4,5,6 ✓
Seq#:6; Xaa Pos. 1,2,3 ✓
Seq#:7; Xaa Pos. 1,2,3 ✓
Seq#:8; Xaa Pos. 1,2,3 ✓
Seq#:9; Xaa Pos. 1,2,3 ✓
Seq#:10; Xaa Pos. 1,2,3 ✓
Seq#:11; Xaa Pos. 1,2,3 ✓

VERIFICATION SUMMARY

DATE: 05/19/2004

PATENT APPLICATION: US/10/774,147A

TIME: 08:15:40

Input Set : A:\10050-03USAUSA.ST25.txt

Output Set: N:\CRF4\05192004\J774147A.raw

L:55 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:85 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:115 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:145 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:175 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:205 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:235 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:265 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:295 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:325 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:355 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0